PRODUCT CATALOG

BEST-IN-CLASS COMMERCIAL FLOORING

YORKSHORE.COM

PRODUCTS

2023











LVT

Rubber

Sheet Vinyl

Sports

Solid Vinyl

and more!

MANUFACTURERS















APPLICATIONS









WHO WE ARE

Yorkshore is a **best-in-class** commercial flooring distributor. We carry top-rated products specifically designed to meet the needs of healthcare, education, corporate, and many other commercial environments!

Our support staff is well-versed within the industry, with firsthand experience in floor maintenance, installation, and supporting specifications.



WHO WE WORK WITH:

- Facility Managers • A&D
- Project Managers
- General Contractors

WHAT IS "BEST-IN-CLASS"?



Resilient flooring products that promote healthy building design and are guaranteed to provide you with the highest ROI on any project! All of our products must meet our high standards in each of the following categories:







ECO-FRIENDLY



DURABILITY

Our goal is to help you simplify the specification process by only carrying best-in-class materials. Our team of flooring experts actively support our products with **dedicated** post-sale service. Including maintenance training and technical specification support. Count on us as your go-to commercial flooring resource!

BEST-IN-CLASS PRODUCTS

WALLS

SVT

RUBBER

LVT

ENG STONE

SHEET VINYL



AM CLAD

Wall Cladding pg 4



GRABOPLAST

pg 15 **Fortis** Silver Knight pg 16 Sports Floor pg 17



AMERICAN BILTRITE

Texas Granite pg 5 **ABPure** pg 6 Marathon pg 7 Stair Treads pg 8 Mirra pg 9 pg 10 Sonata Sonata Elements pg 11 UltraCeramic pg 12



DINOFLEX

Evolution pg 19 Nature's Collection pg 19 High Impact pg 20 Playtiles pg 21



FLOORTRESS

LVT pg 13



SPECIALTY

Hardwood pg 22 pg 23 Carpet Solid Tile pg 23 pg 23 Floor Prep



FLOORIDA

LVT pg 14

order@yorkshore.com

WALL CLADDING

AM-CLAD



ENDLESS CUSTOM DESIGNS









Tile Effect

Animals Vivid Scenery Brick Effect

FEATURES

- · Significantly reduces microbial growth
- Maintenance free and easy to clean
- · Unplasticized "PVCu" phthalate/bpa free
- Prevents spread of infections
- · Great for hygiene-critical environments
- Scratch resistant, "A" class fire rating





> 2.5MM ANTIMICROBIAL Wall Cladding

4' x 8' | 4' x 9' | 4'x10'

Smooth satin finish





2MM ANTIMICROBIAL Wall Protection

 $4' \times 8'$ | $4' \times 9'$ | $4' \times 10'$ 1' x 8' | 1' x 9' | 1'x10'

Embossed textured





2.5MM HYGIENIC PVC Cladding

 $4' \times 8' \quad | \quad 4' \times 9' \quad | \quad 4' \times 10'$

Smooth satin finish

PREMIUM WALL CLADDING THAT PREVENTS THE SPREAD OF INFECTIONS!













TEXAS GRANITE

28 COLORS





DIMENSIONS

Also available as static dissapative or conductive - **SDT/CVT**

12" × 12" | 24 "× 24" | 36" × 36"

3.17mm thickness



2500 PSI

Extremely durable Can be flash coved/heat welded



NO WAX!

Lower maintenance costs Less facility downtime



SEAMLESS DESIGN

Seamless, micro-ground edge Custom logos & colors

TEXAS GRANITE IS THE MOST DURABLE VINYL ON THE MARKET!















ABPURE

36 COLORS



Imagine





DIMENSIONS

HAMMERED & SLATE TILES

- 17 13/16" x 17 13/16"

- 35 11/16" x 35 11/16"

ROUND & IMAGINE TILES

- 17 11/16" x 17 11/16"

 $-60'' \times 50'$

SHEET

- 35 1/2" x 35 1/2"

3mm thickness (Imagine tile/sheet available in 2mm also)







Hammered

Nfuse

NFUSE TECH

Only "occupancy ready" rubber in tiles and rolls



RED LIST FREE

No harmful materials, eco-safe 10% pre-consumer recycled



DESIGN

Superior colorfastness that will not fade over time!

ABPURE IS THE ONLY RUBBER TO PASS THE ASTM F1515 TEST FOR COLOR FADING!
















MARATHON

39 COLORS



Round




Desert Stone



Natural Slate



Lakeland Slate





DIMENSIONS

TILES

- 18" x 18"

- 36" x 36"

SHEET

- 60" × 50'

2mm & 3mm

3mm



DURABILITY

Long life cycle Optimal foot comfort



RED LIST FREE

No harmful materials, eco-safe 10% pre-consumer recycled



DESIGN

Multiple formats and gauges Straight edges for seamless fit

MARATHON COMBINES LOOKS AND FUNCTION WITH NO COMPROMISE!








STAIR TREADS







FEATURES

- Complete system
 - Tread, nose and riser in a single piece!
- ABPure or Marathon
- · Complemented with landing tile
- Declare "Red List Free"
- Carborundum strips can be added for traction or visual aids

Carborundum strip colors

























COMPLETE STAIR TREAD SYSTEM! QUICK SHIP IN STOCK 4

NOSING: 1-5/8" x 1-7/8" x 120'

TREADS: 48"

COVE BASE: 4 - 1/8" x 1/8" x 120'

ROUND TILE: 18" x 18" or 36" x 36"

AVAILABLE IN ROUND & HAMMERED

IN STOCK **COLORS**






















MIRRA

48 COLORS





DIMENSIONS 4" × 36" | 7.25" × 48" | 9" × 48" 18" × 18" | 12" × 24" | 18" × 36"

WOOD

STONE



EXTREME DURABILITY

3mm LVT with **30MIL wear layer** Ideal for heavy traffic environments (2500 PSI)



DESIGN

Wood and stone designs Over 20 patterns and 48 colors

MIRRA CONTAINS A 50% GREATER WEAR LAYER THAN MOST LVTs!















SONATA

36 COLORS





DIMENSIONS 4" × 36" | 6" × 48" | 9" × 48" 18" × 18" | 12" × 24"

WOOD

STONE



HIGH DURABILITY

2.5mm LVT with **20MIL wear layer** Ideal for heavy traffic environments (2500 PSI)



DESIGN

Wood and stone designs Over 13 patterns and 36 colors

SONATA OFFERS A LINE OF VERSATILE AND ELEGANT FLOORING DESIGNS!















SONATA ELEMENTS

15 COLORS



















DURABILITY

20mil wear layer Aluminum oxide wear layer



UNIQUE VISUALS

Textile "carpet" visuals Endless design possibilities



LOW MAINTENANCE

No wax Easy to clean & maintain

ELEMENTS COMBINES THE DURABILITY OF VINYL WITH CARPET VISUALS!
















ULTRACERAMIC CONTRACT

55 COLORS









 $18" \times 18"$ $12'' \times 24''$



DURABILITY

20mil wear layer Aluminum oxide wear layer



ROUNDED EDGE

Patent-pending rounded edge design provides authentic look and feel of stone



QUICK INSTALL

Lighter and easier to cut Can be installed in 1 day

A SMARTER ALTERNATIVE TO CERAMIC, STONE, OR PORCELAIN!







FLOORTRESS



12 COLORS













100% WATERPROOF LUXURY VINYL FLOORING










FLOORIDA



12 COLORS







FLOORIDA 8" x 48" Plank | 12" x 24" Tile | 2.5MM | Glue down **FLOORIDA+** 8" x 48" Plank | 12" x 24" Tile | 5MM | Glue down / Loose Lay







AUTHENTIC VISUALS WITH ANTIMICROBIAL PROTECTION!













19 COLORS







DIMENSIONS 6'6" x 66' | 2mm thickness



GROUP T

Highest wear-resistance class



IGUARD PUR

Surface tech for easy cleaning

HOMOGENEOUS VINYL W/ HIGHEST WEAR RESISTANCE CLASS GROUP T RATED







20 COLORS







DIMENSIONS 6'6" x 66' | 2mm thickness



28mil wear layer



INFECTION CONTROL

Eliminates harmful bacteria with nano silver

HETEROGENEOUS VINYL THAT ELIMINATES 99% OF HARMFUL BACTERIA









15 COLORS







DIMENSIONS 6'6" x 49.2' | 40mil - 80mil





PATENTED "TECH" LAYER

Ensures durability and easy maintenance

DURABLE SPORTS FLOORING WITH OPTIMAL SLIP RESISTANCE





Dinoflex has been a leader in manufacturing recycled rubber products for the last two decades! They are well known for their innovative manufacturing processes and endless custom designs.

Flooring solutions designed specifically for gyms, schools, playgrounds, offices, weightlifting areas and more!



RECYCLED RUBBER



HIGHEST QUALITY RUBBER

- SBR rubber from commercial truck tires paired with EPDM rubber from Germany
- Little to no fillers, providing more color stability and greater flexibility



ENDLESS CUSTOM DESIGNS

- Online color innovator mixing tool
- · Larger than life logo capability
- Thickness from 4 mm to 22mm



MADE FLAT, STAYS FLAT

- "Made flat, stays flat" block manufacturing process guaranteed to never curl!
- · Water-jet cut for precise cutting and virtually seamless installations



ECO-FRIENDLY

- Lowest VOCs of any recycled rubber products
- EPD & HPD certified for sustainable green building and can contribute to LEED credits



RECYCLED RUBBER





EVOLUTION



Size Thickness

Interlocking 37" x 37" 8mm & 9mm

Square 38" x 38" 4mm - 9mm



NATURE'S COLLECTION





Size
Thickness

Interlocking 37" x 37" 7mm & 8mm

Square 38" x 38" 4mm - 8mm

NATURE'S COLLECTION BLENDS RUBBER DURABILITY WITH SUSTAINABLE CORK!





NEXT STEP HIGH IMPACT





UNLIMITED COLORS





DIMENSIONS

Interlocking Square

Size $37" \times 37"$ 38" × 38"

Thickness 8mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm



SOUND REDUCTION

High sound reduction, minimizing the sound of weights dropping



EXTREME DURABILITY

Designed to handle extreme amounts of impact from weights and equipment

HIGH IMPACT CAN HANDLE THE MOST EXTREME WEIGHTLIFTING AREAS!






PLAYTILES









Interlocking tiles can be installed on soft ground or solid surfaces during any season



24" x 24" Interlocking



Thickness Fall Height 1 1/2" (38mm) 4 feet 2 1/4" (57mm) 6 feet 3 1/2" (89mm) 8 feet

Space Set Traffic Set Alphabet Set Hopscotch Set

CREATING A SAFE AND FUN ENVIRONMENT FOR KIDS OF ALL AGES!



SPECIALTY PRODUCTS

HARDWOOD FLOORING



Oak



Maple



Smoked Oak



American Cherry



American Walnut



Nordic Pine



Ash Wood



Cherry Tree



Beech



Larch



Robinia

CONTACT US FOR MORE INFO ON OUR SPECIALTY HARDWOOD PRODUCTS!



FLOOR PREP, CARPET, MORE!

SPECIALTY PRODUCTS





Commercial Carpet



Moisture Vapor **Emission Reducers**



Comprehensive Floor Prep



Sound Control



High Performance Adhesive Systems



Self-Leveling



Sundries



Hard Tile

CONTACT US TO LEARN MORE ABOUT ALL OF OUR SPECIALTY PRODUCTS!







NORTH FLORIDA JoLynna King





J.King@Yorkshore.com





407-636-0658

Bryan.Lee@Yorkshore.com



WEST FLORIDA JIMMY BEEBE

352-476-3082

Jimmy.Beebe@Yorkshore.com



SOUTH FLORIDA



407-955-0190

Jack.Bernstein@Yorkshore.com



NEW ENGLAND JAMIE GILMORE



617-922-9838

Jamie.Gilmore@Yorkshore.com







Russell.Sharp@Yorkshore.com



CORPORATE SALES, CONTRACTS AND EXPORTS

MATHEW LEGGETT

407-702-3102

M.Leggett@Yorkshore.com

LOOKING FOR TECHNICAL DOCUMENTATION?

EVERYTHING YOU NEED, ONE CLICK AWAY!

YORKSHORE.COM/TECHNICAL



