

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# American Biltrite

200 Bank, Sherbrooke, Quebec J1H4K3, Canada

For the following product(s):

**Vinyl Tile:**

Leaf, Sonata®, TecCare®, UltraCeramic™®, UltraCeramic™®Contract, Luxury 500®, Mirra®, Natura™, Sonata® Elements

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

**FloorScore®**

Indoor Air Quality Certified to SCS-105 v4.2-2023.

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-03325

Valid from: October 01, 2024 to September 30, 2025

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ANSI National Accreditation Board

ACCREDITED

ISO/IEC 17065

PRODUCT CERTIFICATION  
BODY



A handwritten signature in black ink, appearing to read "D. Phillips".

Diana Kirsanova Phillips, Chief Assurance Officer,  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA