

LEED®v4- Compliance Letter

Product: ABMARATHON® (Tile, Stair Treads)

LEED® – Building Design and Construction (BD+C)

LEED® – Interior Design and Construction (ID+C)

(New Construction, Commercial Interiors, Core and Shell, Schools, Retail, Data Centers, Warehouses and Distribution Centers, Hospitality, Healthcare)

Materials and Resources (MR)

MR Credit: Building Product Disclosure and Optimization

Environmental Product Declaration

Option 1. Environmental Product Declaration (EPD): Yes, product specific Type III EPD.

Sourcing of Raw Materials

Option 2. Leadership Extraction Practices
Recycled content: None

Material Ingredients

Option 1. Material Ingredient Reporting
Declare. AMB-0005, Declaration Status: LBC Red List Free

Indoor Environmental Quality (EQ)

EQ Credit: Low-Emitting Materials

Option 1. Product Category Calculations or Option 2. Budget Calculation Method

Flooring:

General Emissions Evaluation:

Product certification: FloorScore® #SCS-FS-01492

Adhesives (AD-777, AD-590, AD-599MR, NC-888):

General Emissions Evaluation:

Certification: Green Label Plus® #GLP05980 (AD-777)

FloorScore® #SCS-FS-04503 (NC-888 and AD-590)

Conforms with CDPH Standard Method v1.1-2010.

Measured Concentration of Total Volatile Organic Compounds (TVOC):

AD-777, AD-590 and NC-888: Less than/equal to 0.5 mg/m³.

Exposure scenario: school classroom and private office.

VOC content requirements for wet applied products:

Conforms with SCAQMD rule #1168 (VOC Content).

Methylene Chloride and Perchloroethylene are not intentionally added in the specified adhesive.

Please note that technical web site documents prevail.

Victor Caldas

Vice President of R&D/Q.A.

