

American Biltrite
Flooring

Yorkshore@Yorkshore.com I 866- 996-7563




## Sonata

# Sonata WOOD & STONE





The line also features an aluminum oxide polyurethane surface treatment for superior scratch and stain protection. With Sonata, architects and designers now have everything they need to create beautiful, affordable, long-lasting flooring that's music to everyone's ears.



### EUROPEAN WALNUT Plank size: 6" x 48"




## BURGHAL ZEBRAWOOD Plank size: 6" x 48"











### TIMELESS TRAVERTINE Tile size: 18" x 18"





## METRO STRANDS

Tile sizes: 18" x 18"



### COSMO STONEWOOD

Tile sizes: 18" x 18"



Tile sizes: 18" x 18" 12" x 24"







### SONATA® | WOOD & STONE

0147 (17	(e   1100B a 510	112		
TECHNIC	AL SPECIFICATIONS			
Gauge		0.098"	2.50 mm 457 mm	
Size		18" x 18" 12" x 24" 4" x 36"	457 mr 305 mm x 610 mr 102 mm x 915 mr	
		6" x 48" 9" x 48"	152 mm x 1219 mr 229 mm x 1219 mr	
<b>Product Classi</b>	fication			
<b>ASTM F 1700</b>	Solid Vinyl Floor Tile		Class III, Type A or B	
Wear Layer Thickness		0.020"	0. 5mm	
ASTM D 2047	Static Coefficient of Friction (leather)		≥ 0.5	
ASTM D 3389	Abrasion Resistance (H-22, 500 g @ 1,000 cycles)		PASS	
<b>ASTM E 648</b>	Critical Radiant Flux CRF (W/cm²)		≥ 0.45	
<b>ASTM E 662</b>	Smoke Density		≤ 450	
<b>ASTM F 925</b>	Chemical Resistance		Exceeds	
ASTM F 970	Static Load (modified at 2,500 psi)		≤ 0.005"	
ASTM F 1514	Heat Stability		ΔE ≤ 8.0	
ASTM F 1515	Light Stability		ΔE ≤ 8.0	
ASTM F 1914	Indentation		Residual <8 %	
ASTM F 2055	Squareness		0.010 " maximum	
Indoor Air Quality (IAQ)		FloorScore	FloorScore C ertified by SCS Certification	
Volatile Organic Compounds (VOC's)		Registra	Registration Number SCS-FS-03325	
Maintenance		No wa	No wax for life, easy maintenance	
PU (Polyurethane) surface treatment containing Aluminum		n Oxide	<b>e</b> F acilitates maintenance	
Adhesives	PS-30		Regular traffic	
	AD-535		Heavy traffic/rolling loads	
Limited Wear Warranty			10 years for commercial installation 20 years for residential installations	
Dloaco noto that t	tochnical woheito documente provail			

Please note that technical website documents prevail.

® / SONATA is a registered trademark of American Biltrite.

### yorkshore.com











3551 W 1st St. Sanford, FL 32771 To order samples: Yorkshore@Yorkshore.com | Tel: 866-996-7563





® / SONATA is a registered trademark of American Biltrite.

yorkshore.com

**Yorkshore Commercial Interiors** 

3551 W 1st St. Sanford, FL 32771 To order samples: Yorkshore@Yorkshore.com | Tel: 866-996-75631

Printed in Canada BRO-E0-SON Issued: 12/2020