



catalogue /2022

fuse flooring





about

**enhancing the intrinsic
beauty of wood.**

Fuse Flooring results from an appreciation of nature - its ability to create and to inspire. We're moved by its uneven grain, its knots, and unpredictability. Our desire is to enhance the intrinsic beauty of wood.

This appreciation drives us to provide the best and most beautiful wood floors.

who we are

Fraser Greenberg / Marketing

From the third generation of flooring professionals and on his third decade marketing the products. His preference is for sophistication and playfulness.

Tyler Greenberg / Marketing

Tyler draws from his design background and extensive travels to create new woodflooring collections.

heritage

**founded in
Toronto, Canada**

Fuse Flooring was founded in 1994 by Relative Space in Toronto, Canada. After years of curating collections of the world's best wood flooring, it was time to design one for our market.

As a family flooring business, our roots are three generations deep. We come from Canada where more than 50% of the country is covered by forests a big palette and a lot of inspiration.

For Fuse Flooring, we wanted a collection that was sustainable, both environmentally and socially. Something that was made equally with quality and integrity.

philosophy

Fuse Flooring was founded in 1994 by Relative Space in Toronto, Canada. After years of curating collections of the world's best wood flooring, it was time to design one for our market.

As a family flooring business, our roots are three generations deep. We come from Canada where more than 50% of the country is covered by forests a big palette and a lot of inspiration.

craft- manship

materials

manufactured in germany and austria

All products are made from 100% certified, real wood, that is fully certified from seed to harvest. All products are fully manufactured in Germany and Austria.
The use of solid sawn lumber for every layer results in minimal use of adhesives.

source and standards

All wood used in the assembly of Fuse Flooring products comes from sustainably managed forests in Europe and carry either PEFC or FSC certification.

The manufacturing facilities are all governed by labour laws that meet or exceed Canadian standards. This ensures fair pay and working conditions for everyone involved in the creation of our products.

sustainability

Sustainable Materials

All wood in Fuse Flooring products comes from sustainably grown and harvested forests. The wood is fully certified on its journey from seed to board.

certified real
wood

Health Conscious

Materials and manufacturing are chosen to create a healthy product. Multiple certifications for low volatile organic compound (VOC) emissions ensure little to no impact on indoor air quality.

Responsible Manufacturing

Products are made in Germany and Austria where strong labour laws ensure workers are paid fairly and work in safe environments.

Longevity

High quality products last longer and are replaced less frequently. Our floors' structural stability and refinishing options allow the floor to last for decades.

certifications

PEFC

The Programme for the Endorsement of Forest Certification (PEFC) is a global body that ensures sustainable forest management and prevents deforestation. It is similar and often considered equivalent to FSC.



Floor Score

A third-party certification indicating low to zero VOC emissions. All parts of the product are tested including the wood, finish, and adhesive.



Émissions Dans l'Air Intérieur A+

Measures total VOCs of 10 different substances for interior products. Class A+ is the lowest level of emissions that can be achieved.



CARB2 Compliant

The CARB 2 standard is a limitation on formaldehyde emissions. Created by the California Air Resources Board (CARB), their mandates are strict and the standard across the industry.



Real Wood

Certifies that the product is made exclusively from wood and not composite materials that may contain plastic or other synthetics.

collection overview

**four collections and
fifteen finishes**

Achieve a beautiful, unique look with the Flyt collection, made up of two versatile styles: Wide and Herringbone flooring. This engineered hardwood flooring collection includes a matte lacquer finish that has minimal light reflection which allows the natural colour of the floor to shine through. Featuring high durability, you will not have to worry about marks and scratches caused by everyday use.

Available in fifteen attractive finishes, you will surely find one that is perfect for your space. Some colours are available across styles, which creates possibilities for dynamic textural combinations in a single floor.

Made in Austria or Germany, and designed in-house at Relative Space, these engineered hardwood floors represent a high standard in quality and performance.

flyt wide

Classic lightly rustic wide-plank floors with a durable Bona finish with high abrasion resistance that can be easily recoated. A matte finish and soft texture reflect the most desirable qualities of the wood. Available in ten curated colours.

flyt
collection

flyt herringbone

A traditional herringbone style in five contemporary colours. Can be installed floated or glued down.

flux

Extra wide, rustic white oak with a super matte finish. The 9 1/8" wide planks with lengths of 8' allow the knots and grain room to spread out over a large area.

sumo

sub-collection

Bespoke wood flooring in widths up to 24" and lengths up to 40'. Many colours, textures, finishes and patterns can be made to perfectly suit your space.

comparison

Each collection has unique characteristics that define it.

1 / wide

Has a clean grade with large sized planks to create a calmer look.


grade

Natural



pattern

Plank



plank widths

6 1/8"



2 / herringbone

A patterned floor that adds sophistication to your rooms.


grade

Natural



pattern

Herringbone



plank widths

3 3/4"



3 / flux

A super sized plank with select knots and characteristics that provides a natural look.


grade

Rustic




pattern

Plank



plank widths

9 1/8"



4 / sumo

A bespoke wood flooring that lets you create the perfect floor for your space.

custom

grade /

Natural / Rustic / Clear

pattern /

Herringbone / Chevron / Plank / Mix Widths

cut /

Flatsawn / Quartersawn

surface /


Sanded / Brushed

finish /

Lacquer / Oil

plank widths

Up to 24"





1 / wide

Mont Blanc, page 26



2 / herringbone

Perch, page 40



3 / flux

Como, page 58



4 / sumo

Antique, page 78

flyt wide collectio

emin / mont blan
matterhorn / mer
baker / logan / d
brocken / tianzi

n /


c /

ru / coto /

lolomite /

wide collection

Flyt Wide is distinguished by natural tones and large sized planks. Like the mountains they're named after, each colour has its own distinct style and charm, elevated by their scale. Using only full sized boards with subtle colour variation, these products have a calm, unified look.










features



dimensions

1/2" H x 6 1/8" W x 79 1/18" L
All planks are full length, no shorts.



1 / surface

Matte Bona Lacquer



2 / texture

Light Brush



3 / top layer

White Oak



4 / core

Quartersawn Spruce




installation

Glue Down or Float
Radiant Heat Compatible



wide plank assembly

Connection System: Drop and Lock ("click")
Bevel 4-sides



accessory options

Made from the same material as the floor
for a perfect match.

stairs

Full cladding: riser, tread, and nosing
Up to 78" wide



vents

All wood, with damper. Two sizes:
3" W x 10" L
4" W x 10" L



nosing

Up to 78" long, 4 1/4" wide



flush reducer

Up to 78" long, 1 3/4" wide



t-mould

Up to 78" long, 1 3/4" wide







emin



mont blanc



matterhorn



meru



coto



baker



logan



dolomite



brocken



tianzi



wide specs

1 / product	2 / construction	3 / wood	4 / layers
collection	type	species	lamella
Flyt	Engineered hardwood	White Oak	White Oak
style	layers	grade	thickness
Plank	3-layer	Natural	Nominal 1/8"
finish	edge	treatment	core
Bona lacquer	Bevel 4-sides	Stained	Spruce
surface	connections	cut	thickness
Light brush	Drop and lock ('click')	Flatsawn	3/8"
	dimensions	hardness	backing
	1/2" H x 6 1/8" W x 79 1/18" L1360 (Janka scale)		Spruce Ply

origins

Made in Austria or Germany

certifications

PEFC
Floor Score
Émissions Dans l'Air Intérieur A+
CARB2 Compliant
Real Wood







flyt herringbone c


bass / perch / pla bream / skate

collection/

oice /

herringbone collection

Subtle colour variation brings life to the herringbone pattern. Named after fish who's scales inspired the pattern's name, the collection features five colours for traditional and contemporary spaces. Can be installed as a floated floor.










features



dimensions

1/2" H x 3 3/4" W x 22 7/16" L



1 / surface

Matte Bona Lacquer



2 / texture

Brushed



3 / top layer

White Oak



4 / core

Flatsawn




installation

Glue Down or Float
Radiant Heat Compatible



herringbone assembly

Connection Drop and Lock ("click")
Bevel 4-sides



accessory options

Made from the same material as the floor
for a perfect match.

stairs

Full cladding: riser, tread, and nosing
Up to 78" wide



vents

All wood, with damper. Two sizes:
3" W x 10" L
4" W x 10" L



nosing

Up to 78" long, 4 1/4" wide



flush reducer

Up to 78" long, 1 3/4" wide



t-mould

Up to 78" long, 1 3/4" wide






bass



perch



plaice





bream



skate



herringbone specs

1 / product	2 / construction	3 / wood	4 / layers
collection	type	species	lamella
Flyt	Engineered hardwood	White Oak	White Oak
style	layers	grade	thickness
Herringbone	3-layer	Natural	Nominal 1/8"
finish	edge	treatment	core
Bona urethane	Bevel 4-sides	Stained	Spruce
sur face	connections	cut	thickness
Brushed	Drop and lock ('click')	Flatsawn	3/8"
	dimensions	hardness	backing
	1/2" H x 3 3/4" W x 22 7/16" L1360 (Janka scale)		Spruce Ply

origins

Made in Austria or Germany

certifications

PEFC
 Floor Score
 Émissions Dans l'Air Intérieur A+
 CARB2 Compliant
 Real Wood







flux collection /

constance / lugano
como / garda / lucerne

no / maggiore /
ucerne

flux collection

Named after lakes in Italy, Flux captures the natural movement of wood across its supersized boards, like the surface of water. Using a curated grade of white oak, the wood's character is given room to show its natural beauty.










features



dimensions

1/2" H x 9 1/8" W x 93 5/8" L



1 / surface

Matte Bona Lacquer



2 / texture

Light Brush



3 / top layer

White Oak



4 / core

Flatsawn




installation

Glue Down or Float
Radiant Heat Compatible



wide plank assembly

Connection Drop and Lock ("click")
Bevel 4-sides



accessory options

Made from the same material as the floor
for a perfect match.

stairs

Full clading: riser, tread, and nosing
Up to 78" wide



vents

All wood, with damper. Two sizes:
3" W x 10" L 4" W x 10" L



nosing

Up to 78" long, 4 1/4" wide



flush reducer

Up to 78" long, 1 3/4" wide




t-mould

Up to 78" long, 1 3/4" wide







constance



lugano



maggiore



como





garda



lucerne



flux specs

1 / product	2 / construction	3 / wood	4 / layers
collection	type	species	lamella
Flux	Engineered Hardwood	White Oak	White Oak
style	layers	grade	thickness
Plank	3-layer	Rustic	Nomnial 1/8"
finish	edge	treatment	core
Bona lacquer	Bevel 4-sides	Stained	Spruce
sur face	connections	cut	thickness
Light Brush	Drop & Lock ("click")	Flatsawn	3/8"
	dimensions	hardness	backing
	1/2" H x 9 1/8" W x 93 5/8" L	1360 (Janka Scale)	Spruce Ply

origins

Made in Austria or Germany

certifications

PEFC
Floor Score
Émissions Dans l'Air Intérieur A+
CARB2 Compliant
Real Wood







sumo collection /

akinori / antique v
dusk / chrome / h
masaji / ryoji / se
obsidian / ivory /
taro / tozo / yoshi
yasushi / manso /

white /
niroshi /
edaji /
/ antique /
ni /
/ coca

sumo collection

A bespoke wood flooring collection with maximum dimensions of more than 24" in width and 40' in length. Every aspect of Sumo is customizable, allowing you to create the perfect floor for your space.









residential / retail / commercial

customizability

Sumo offers a wide range of possibilities for customization. Sumo product samples and photos are presented in a standard configuration.

**certified real
wood**

dimensions

Width 6 1/2" - 24" /
Length 70 7/8" - 40' /
Thickness 5/8" - 3/4"



pattern

Plank /
Herringbone /

Chevron /
Mix Widths



grade

Clear /
Natural /
Rustic



cut

Flatsawn /
Quar tersawn



Custom samples for your configuration can be created.

surface

Sanded /
Brushed /
Hand-scraped /

Hand-planed /
Spot sanding by hand



finish

Super matte lacquer /
Rubio oil



construction

3 layer with ply back /
3 layer counter-balanced



installation

Gluedown
Works with Radiant Heat



accessory options

**certified real
wood**

Made from the same material as the floor
for a perfect match.

stairs

Cladding or full stairs available
Can be any size, finished on up to all 6 sides
Open, closed, and stringer to stringer stairs



vents

Custom vents in most sizes can be made



nosing

Square, bullnose, or angled
Any width




flush reducer

Flush or resting on top
Any width




t-mould

Resting on top
Any width



wall cladding

Can be configured like the floor
Special construction for application to other surfaces








akinori



antique white



dusk



chrome



hiroshi



masaji



ryoji




sedaji




obsidian



ivory



antique



taro



yoshi



yasushi



manzo



coca

sumo specs

1 / product	2 / construction	3 / wood	4 / layers
collection	type	species	lamella
Sumo	Engineered hardwood	White Oak	White Oak
style	layers	grade	thickness
Plank	3-layer	Various	1/8"
finish	edge	treatment	core
Various	Bevel 2-sides and 4-sides	Various	Spruce
sur face	connections	cut	thickness
Brushed	Tongue and groove	Flatsawn	1/2"
	dimensions	hardness	backing
	Various	1360 (Janka scale)	Spruce Ply

origins

Made in Austria or Germany

certifications

PEFC
Floor Score
Émissions Dans l'Air Intérieur A+
CARB2 Compliant
Real Wood







variation & grade

wood color variation

general specs notes

All wooden floors have natural colour variation. Untreated floors will have some colour variation, depending on the species. Stained floors generally have less colour variation. Smoked floors have more colour variation. Please be aware of the amount of variation to expect by looking at the 'wood - treatment' section, or contact a sales representative for pictures and further information

wood hardness

The Jenka hardness scale is determined by the amount of force required to embed an 11 mm steel ball half-way into the wood. A higher rating is a harder wood. Note that this does not indicate a product's resistance to scratching, just denting.

wood color change

Wood changes colour when exposed to sunlight. This process is called 'oxidization' and happens over a period of several months to several years, depending on the species.

Different species will change different colours over different periods of time. Note that certain finishes also oxidize and this colour change is in addition to the wood's oxidization.

dimensions

The dimensions indicated are for the standard size. Many other dimensions are available for width, height and length, as well as mixed dimensions.



grade guide



select

Maximum size of sound knots	—	15 mm
Maximum size of open knots	—	Not allowed
Heart / Pith	—	Not allowed
Sapwood	—	Not allowed
End checks / End cracks	—	Not allowed
Small cracks	—	Not allowed
Colour Variation	—	Harmonic
Ingrown bark	—	15 mm



nature

Maximum size of sound knots	—	30 mm
Maximum size of open knots	—	15 mm
Heart / Pith	—	Not allowed
Sapwood	—	Not allowed
End checks / End cracks	—	Not allowed
Small cracks	—	Allowed / up to 100 mm long & 1 mm
Colour Variation	—	Harmonic
Ingrown bark	—	Not allowed

Hardwood grades are based on the size and number of clear pieces that can be obtained from a board.

Grades are not determined by gut reactions but actual measurements of clear sections and definitions for characteristics.



living / classic

Maximum size of sound knots	——	50 mm
Maximum size of open knots	——	25 mm
Heart / Pith	——	Not allowed
Sapwood	——	Allowed / 2 cm both sides or 4 cm one side
End checks / End cracks	——	Not allowed
Small cracks	——	Allowed / up to 100 mm long & 1 mm
Colour Variation	——	All colours
Ingrown bark	——	Not allowed



rustic

Maximum size of sound knots	——	80 mm
Maximum size of open knots	——	50 mm
Heart / Pith	——	Allowed
Sapwood	——	Not allowed
End checks / End cracks	——	Allowed / up to 400 mm long & 8 mm
Small cracks	——	Allowed / up to 1105 mm & 1 mm
Colour Variation	——	All colours
Ingrown bark	——	Allowed / up to 50 mm long & 3mm

fuse

 **Yorkshire**
COMMERCIAL INTERIORS

Yorkshire Commercial Interiors
A BuildDirect Company
3551 W 1st St. Sanford, FL 32771

Tel: 866-996-7563
Yorkshire@Yorkshire.com
yorkshire.com

