






Yorkshore@Yorkshore.com

# FINESS ESSENTIALS









# **MOD-FLEX ACTIVE**

The revolutionary gym rubber tile that's set to redefine your fitness experience.

Designed to cater to the ever-evolving needs of modern fitness enthusiasts. Mod-Flex Active is the perfect fusion of durability, comfort, and style. Whether you're a seasoned athlete, a weekend warrior, or just starting your fitness journey, Mod-Flex is engineered to withstand the toughest workouts while offering a supportive and cushioned surface that minimizes the risk of injury.

#### **RECOMMENDED USAGE**







#### CONSTRUCTION




Total thickness

mm


1×1

14.9

#### **COLORS AVAILABLE**











LOW IMPACT CASUAL USE



# **CARDIO MACHINES** & CROSS FIT



Sound insulation




Easy installation no adhesives



Anti-slip surface



Shock absorption resist impact



# MOD-FLEX HEAVY

With a contemporary design that seamlessly integrates into any fitness space, Mod-Flex not only elevates your performance but also enhances the aesthetics of your gym. Say goodbye to the limitations of traditional flooring and step into a new era of fitness with Mod-Flex – where flexibility, fitness, and innovation converge. UV STABLE RUBBER GRANULATES

CONSTRUCTION

Total thickness

mm


Dimension

1×1

Ĭ...

29 kg/m²


#### **COLORS AVAILABLE**



Blu



Black



Vallou

#### **RECOMMENDED USAGE**



HEAVY EIGHTS

HIGH IMPACT EXCERISES



# A

Easy installation no adhesives



Anti-slip surface

Sound


insulation





Shock absorption resist impact

# POWER LIFTING & HEAVY WEIGHTS



# VARIUSE 8.3

The versatile flooring not intended only for sports Two in one: it is a sports and commercial flooring with a full value, which combines the benefits of two product types, and therefore it can be used for sports and non-sports activities without any problem. It is durable and safe, protects the skeletal system of the user, it is wear-resistant and easy to clean.

#### IT COMBINES THE ADVANTAGES OF SPORTS FLOORS AND COMMERCIAL FLOORS:

Combined foam back - real joint protection during sports (P1) • Optimum grip and slip surface • Abrasion-resistant, durable and easy to clean surface • Low residual indentation • No need for protective cover for non-sporting events . Cost-saving solution

#### **RECOMMENDED USAGE**

















#### CONSTRUCTION



X-PUR TOP LAYER



GLASS FIBER REINFORCEMENT



COMBINED FOAM BACKING




mm

Total thickness

8.3

Width of roll

15



















### **EXTREME**

It is a safe competitive sports flooring, which more intensively protects the skeleton systems of sportsmen, while it offers a stable base for maximum sports performances. It is the only one in its category which meets the shock absorption requirement ((≥35%) of category P2 of the sports standard as a 8 mm thick product. In addition to the efficient joint protection, it is characterised by optimal adhesion and excellent ball bounce back. It is an excellent covering for competitive sports, which is supported by its aesthetic dull shine and simple use. A multi-sport flooring particularly recommended for sports, fitness. The thinnest vinyl sports floor that meets the requirements of the P2 category.

#### **RECOMMENDED USAGE**











#### CONSTRUCTION



X-PUR WEAR LAYER



GLASS FIBER REINFORCEMENT



COMBINED FOAM



Total thickness

8.0

Width of roll

15

















# VARIUSE EXTREME









# RECEPTION, SHOP, COMMON AREAS

### **PLANKIT** SILVER KNIGHT

The unique self-disinfecting PlankIT Silver Knight dry-back LVT offers maximum hygiene and 100% water resistance, is an ideal solution for common areas such as reception, corridors or changing rooms. It has an extremely realistic appearance that allows you to create a modern atmosphere. Thanks to the product's environmentally-friendly manufacturing technology, its usage results in safe indoor air

#### **RECOMMENDED USAGE**













#### **CONSTRUCTION**

SILVER KNIGHT IGUARD PUR WEAR LAYER





GLASS FIBRE REINFORCEMENT

BACK LAYER

Wear layer thickness

0.55

2.5

185 × 1220

305 × 610








# **PLANKIT**





# **ECOSAFE**

The high durability of the Ecosafe flooring can help you choose the right product when you're looking for non-slip solutions. This product is specially design for wet areas and meets both the R10 and the +36 Pendulum anti-slip requirements, a property that is remained for many years thanks to the hard particles embedded in the surface. Its EasyCare surface protects the flooring against stains and makes maintenance easier.

#### **RECOMMENDED USAGE**





#### CONSTRUCTION



GLASS FIBER REINFORCEMENT

3 PVC BACKING

Wear layer thickness

0.7

Total thickness

**2.0** mm

Width of roll

2

Length of roll

20

CHANGING ROOMS, WET AREAS










# **ECOSAFE**
















# WALL COVERINGS FOR RECEPTION & CHANGE ROOMS

### **MURAVYL**

Our wall covering Muravyl offers an aesthetic and lasting protection for the walls with a total thickness of 1.5 mm. Its flexibility and low specific mass allows it to be applied on both vertical and horizontal surfaces while its smooth top surface makes it easy to be washed and cleaned. Thanks to the good dimensional stability and antibacterial properties, Muravyl is the perfect choice for all common areas.

#### **RECOMMENDED USAGE**













GROUP












# MURAVYL









### WELINA SOLID | SLIM

Our new creative innovation- the Welina modular aluminum entrance matting system offers unlimited freedom for architects and designers to plan impressive, inviting entrances that have never been seen before. In the modules, a wide range of textile inserts can be integrated which generate an endless number of variations.

#### **RECOMMENDED USAGE**



INDOOR / OUTDOOR ENTRANCE FOR GYMS

#### **AVAILABLE SIZES**



240 × 240 mm 240 × 480 mm 240 × 720 mm

Overall height

17-19<sub>mm</sub>

2 Slim

252 × 252 mm 252 × 504 mm

252 × 756 mm

Overall height 10-11 mm

#### **COLORS AVAILABLE**



Beige



Black



Rlue



Rec



Easy installation no adhesives required



Indoor / outdoor application





F25 aluminium alloy

# **ENTRANCES & EXITS**

# RECOMMENDATION











	MOD-FLEX Active	MOD-FLEX HEAVY	VARIUSE 8.3	EXTREME
CARDIO TRAINING	**		*	
CROSS FIT	**	**		
COMMON AREAS				
FREE WEIGHT	**	*		
FUNCTIONAL TRAINING			**	*
AEROBICS, REHABILITATION			*	**
POWER LIFTING		**		
WET AREAS				
CHANGING ROOMS				
ENTRANCES & EXITS				

<b>PLANKIT</b> SILVER KNIGHT	ECOSAFE	MURAVYL	WELINA
**		**	
		*	
	**	*	
**	*	**	
*		**	**



3551 W 1st St. Sanford, FL 32771 866-996-7563 I Yorkshore@Yorkshore.com



# Keep in touch.



#### **GRABOPLAST**

**Floor Covering Manufacturers Ltd.** H-9023 Győr, Fehérvári út. 16/b. Telefon: (+36) 96 506-100 www.graboplast.com • info@graboplast.com



www.facebook.com/graboplast

