





T851000000

L Ayers

– layers of the past in a modern version

An award-winning modular collection by the renowned British designer Sebastian Wrong, where the traditional carpet tile has been given a modern expression and unique aesthetics through digitally printed colours. The visual depth of Layers by Sebastian Wrong[®] comes to life in an innovative process where linear patterns are interwoven, emerging layer upon layer as a reminiscence of the volcanic ash layers in the diatomite cliffs on the small Danish island of Fur, offering glimpses into the past.

Available in 13 timeless colours. Special colours from +200 m².



851001200



851001100



851001120



851001150



851001200



851001220



851001250



851001300



851001320



851001390




851001400



851001680



851001700



851001800

L Ayers by Sebastian Wrong

T851000 - Weave TEXTiles® series



Technical data

	Standard	Broadloom w/Textile	Broadloom w/Felt	Tiles
Type of manufacture	ISO 2424			Woven
Structure	ISO 2424			Loop pile
Pile material	ISO 2424			100% PET Anvire FR®
Dye method				Print
Primary backing	ISO 2424			PET
Secondary backing	ISO 2424			TEXTiles®
Dimensions/Width	ISO 3018			By order
Surface pile thickness	ISO 1766			Approx. 2.20 mm
Total thickness	ISO 1765			Approx. 5.00 mm
Total pile mass	ISO 2424			Approx. 575 g/m ²
Total mass	ISO 8543			Approx. 3,300 g/m ²
Stitch rate	ISO 1763			Approx. 164,000 /m ²
Antistatic	ISO 6356			≤ 2 kV
Classification for use	EN 1307			23 Domestic - Intensive use
Classification for use	EN 1307			33 Commercial - Heavy use
Luxury rating class	EN 1307			LC1
Dimensional stability	EN 986			≤ 0.2 %
Castor chair suitability	EN 985			Intensive use
Impact sound reduction	ISO 10140			Approx. ΔL _w 20 dB
Sound absorption	EN ISO 354			Approx. 0.20 α _w
Thermal resistance	ISO 8302			Approx. 0.10 m ² K/W
Fireclass	EN 13501-1			Bfl - s1



L Ayers by Sebastian Wrong

T851000 - Weave TEXTiles® series



Certifications

	Standard	 Broadloom w/Textile	 Broadloom w/Felt	 Tiles
CE	EN 14041			0809-CPR-19006044-C8
DOP	EN 14041			1118#19006044-C8
IACG	EN 16516			Compliant
M1				Compliant
GUI				Compliant
GUT				Compliant
EPD - GWP A1-A3	ISO 14025 EN 15804+A2			8,6 kg CO ₂ - Eq
PEF - LCA Scope 3 CO ₂ - Eq according to EU PEF Standard				10.6 kg CO ₂ - Eq
Reach				Compliant
BREEAM NOR				Compliant
Recycled content				100% recycled backing



As we continuously improve our products and testing procedures, any above declaration is subject to amendments without prior notice. For the latest technical specifications, installation and maintenance guide visit:

www.yorkshore.com

Yorkshore Commercial Interiors
3551 W 1st St. Sanford, FL 32771
866-996-7563 | Yorkshore@Yorkshore.com